

C.I.A Colour Seal



July 2025

Description

C.I.A Sealers are designed for application to Stamped, Stenciled, Topcrete, Exposed Aggregate and General Concrete.

Recommended Uses

Apply Colour Seal as an initial coat for new concrete.

Surface Preparation – Unsealed Concrete

Ensure the surface is clean and free of any oil and loose particles and completely dry

Moisture Check

Ensure the surface is completely dry.

Application

Colour Seal is ready to use once surface is prepped as mentioned above.

Roller, broom or spray 2 coats, first coat leave for 24 hours, then apply second coat, this is also when you can add the Anti-slip.

Add 2x1 liter tints per 18 liter drum of Colour Seal. Stir well with a mixing paddle every 15 minutes when rolling out.

Apply Colour Seal to the surface in cool weather.

Clean up

Ensure waste disposal conforms to local waste disposal regulations.

Drying

Allow 24 hours between coats.

Removal

Refer to 'clean up'

Maintenance and Life Span

Store in a cool, dry place, out of direct sunlight and away from heat sources.

C.I.A Colour Seal should last between 18 months - 2 years if applied correctly.

Safety Directions

Precautions for safe handling: Flammable product. Avoid breathing vapors. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment.

First Aid

Inhalation: Keep victim calm and move to fresh air if safe to do so. Obtain medical treatment immediately.

Skin contact: If skin contact occurs, remove contaminated clothing and wash skin thoroughly with water and follow by washing with soap if available. Transport to nearest medical facility for additional treatment if necessary.

Eye Contact: If in eyes, hold eyes open, flood with water for at least 15 minutes. Transport to nearest medical facility for additional treatment if necessary.

Ingestion: If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Disclaimer

The statements made herein are based on our experience gained to date. They are to be considered as information without obligation. Please test and establish for yourself our product's suitability for your particular purposes. No liability exceeding the value of our product can be derived from the foregoing statements. This also applies to the technical advisory service, which is rendered free of charge and without obligation.